


Freedom of space.  
**Balcony and sliding doors  
made from PVC**



Freedom of space.

## Balcony and sliding doors made from PVC


The maximum amount of daylight will bring you into a better quality of living. Thanks to a large surface of windows, you will feel like you are living in the middle of the space that surrounds you - whether it's a green garden or a vibrant metropolis. The wide range of construction possibilities is diversified by modern architecture.

### Tilt and slide PSK doors made from PVC

The perfect solution when you want to save space. The PSK doors do not have window sashes which, when opened, take up space in the room. Thanks to the narrow installation depth, they enable optimal use of space and are suitable for use both during renovation works and during new installation.

#### Attractive advantages:

- 1 Narrow installation depth**  
Low space consumption inside the room during use.
- 2 PSK door**  
Convenient operation thanks to parallel movement of the leaf. Possible tilt opening.
- 3 Large glazing**  
Guarantee a bright, light-filled room. Leaf width up to 1900 mm, leaf weight up to 200 kg.



#### Do you know that...

The PSK doors save a lot of space and in addition to that, they have tilt opening? Thanks to a shallow installation, they are ideal for renovation.


## HST lift and slide door



### Attractive advantages:


- **Form and function:** Illuminated rooms and solar power thanks to very narrow frames.
- **Convenient service:** Thanks to high-quality fittings, closing and opening is smooth and easy as piece of cake.
- **No barriers:** Low aluminum threshold system in the standard version.
- **Safety and certainty:** Special safety glass and hardware (up to RC 2 safety class) will protect your home effectively.

### Types of opening




#### Scheme A<sup>3)</sup>

- 1 sliding sash (right or left)
- 1 permanent glazing



#### Scheme C<sup>3)</sup>

- 2 sliding sashes (right and left) without a bar
- 2 permanent glazing




#### Scheme G

- 1 sliding sash (right or left)
- 2 permanent glazing



#### Scheme K

- 2 sliding sashes
- 1 permanent glazing



#### Scheme H

- Permanent glazing

### Convincing values

#### HST doors 88

#### HST doors 76

#### PSK doors

	HST doors 88	HST doors 76	PSK doors
<b>Heat transfer coefficient<sup>1)</sup></b>	Uf 1.2 W/m <sup>2</sup> K (for the frame) up to 0.74 W/m <sup>2</sup> K	Uf 1.0 W/m <sup>2</sup> K (for the frame) up to 0.73 W/m <sup>2</sup> K	Uf up to 0.76 W/m <sup>2</sup> K (for the frame)
<b>Noise protection<sup>1)</sup></b>	Rw 45dB value	Rw 41dB value	Rw 42dB value
<b>Resistance to wind<sup>2)</sup></b>	up to C2/B3 class according to EN 12210	up to B3 class according to EN 12210	up to B3/C3 class according to EN12210
<b>Waterproofness<sup>2)</sup></b>	9A class according to EN 12208	9A class according to EN 12208	up to 8A class according to EN 12208
<b>Air permeability<sup>2)</sup></b>	up to class 4 according to EN 12207	up to class 4 according to EN 12207	up to class 4 according to EN 12207
<b>Safety</b>	Basic protection, RC 1 N, RC 2 N, RC 2	Basic protection, RC 1 N, RC 2 N, RC 2	Basic protection

<sup>1)</sup> windows technical parametres

<sup>2)</sup> scheme A (2.37 x 2.37 m)

<sup>3)</sup> these diagrams are only possible for sliding, with tilt opening parallel doors.

Headquarter:  
DOBROPLAST FABRYKA OKIEN Sp. z o.o.  
Stary Laskowiec 4  
18-300 Zambrów

Phone number: 0048 86 276 35 00  
Fax number: 0048 85 674 32 55  
email address: dobroplast@dobroplast.pl  
Website: www.dobroplast.pl

Authorized distributor:



© 2018 Dobroplast Sp. z o.o. All rights reserved. The catalog shall not constitute an offer under Civil Code. Dobroplast excludes claims related to data and photos contained in this catalog. The offer includes selected window models, potential mistakes are allowed. Pictures do not always reflect standard equipment.